

SECTION A-A

- (1.) THIS DIAMETER BEAD MAY BE FORMED AS A SECONDARY OPERATION.
- (2.)INSPECT FOR FORMING CRACKS OR HOLES
 - 3. ANY DIE LUBRICANTS CAUSING CORROSION MUST BE REMOVED.
 - 4. MANUFACTURING PROCESS: SPINNING






MAY 0 2 2002

COPY OF PAPERS ORIGINALLY FILED

TC 1700

SYMBOL	DA.	SEN2ED.	APPROVED	REVISIONS	
\triangle	3-8 96	CW	RLM	CHG. 4.985" DIM TO REF., ADD 1.849" I.D. DIM.	
Æ	4–1 96	CW		CHG. BELL I.D. F/1.849", 5.433" F/5.592" 2.750" F/2.250", CORRECT MD# ADD mm EQUIVALENCE	
\triangle	8–18 97	CW	afo		



MATERIAL: COLD ROLLED STEEL

ASTM: A 620 PLATING: N/A

GAUGE: 16 (.060') (1,5mm)



8800 East 63rd Street Kansas City, MO, USA. 64133 PHONE +816-356-8400 FAX +816-353-1873 SALES +800-821-2222

S DRAVING AND THE INFORMATION ITAINED IN IT ARE CONFIDENTIAL, THE PROPERTY OF BHA GROUP, INC. MAY NOT BE USED FOR ANY PURPOSE VISDEVER EXCEPT UNDER EXPRESS ITEN CONTRACT VITH BHA GROUP, INC.

EXTENDED VENTURI FOR TA625 TOP COMPONENT DAL: 4.000" (101.6mm)

BELL I.D.: 2.750" (69.9mm)

DRA	CW	рате 3-6 96		
CHE	CKED BY RLM	3-6 96		
CHE	CKED BY	DATE		
APF	JRD	DATE 3-6 96		
SCA	N.T.S.	size B		
	SHT <u>1</u>	0F <u>1</u>		

TOLERANCES (UNLESS OTHERWISE SPECIFIED).
GENERAL FABRICATION ±1/16" ANGULARITY ±1'-0'. FORGINGS & CASTINGS: COMMERCIAL TOLERANCES.

WEIGHT:


400-92

400-0485

SHIPPING DIMENSIONS:

SYMBOL L. . . REVISED APPROVED KEVISIONS

A 8-18 CW ADD mm EQUIVALENCE



MATERIAL: COLD ROLLED STEEL

ASTM: A 620 PLATING: N/A

GAUGE: 16 (.060') (1.5mm)



8800 East 63rd Street Kansas City, MO, USA. 64133 PHONE +816-356-8400 FAX +816-353-1873 SALES +800-821-2222

THIS DRAVING AND THE INFORMATION CONTAINED IN IT ARE CONFIDENTIAL, ARE THE PROPERTY OF BHA GROUP, INC. AND MAY NOT BE USED FOR ANY PURPOSE VHATSOEVER EXCEPT UNDER EXPRESS VRITTEN CONTRACT, VITH BHA GROUP, INC.

EXTENDED VENTURI FOR TA525 TOP COMPONENT OAL: 4.000" (101.6mm)

BELL I.D.: 2.250" (57.2mm)

DRAWN BY CW

CHECKED BY

TOLERANCES (UNLESS OTHERWISE SPECIFIED).
GENERAL FABRICATION ±1/16* ANGULARITY ±1'-0'.
FORGINGS & CASTINGS: COMMERCIAL TOLERANCES.

00-92 400-1079


REV.

DATE 7-24 96

8-55


SHIPPING DIMENSIONS:

WEIGHT:




- (1.) THIS DIAMETER BEAD MAY BE FORMED AS A SECONDARY OPERATION.
- 2) INSPECT FOR FORMING CRACKS OR HOLES
 - 3. ANY DIE LUBRICANTS CAUSING CORROSION MUST BE REMOVED.
 - 4. MANUFACTURING PROCESS: SPINNING





- SECTION A-A
- (1.) THIS DIAMETER BEAD MAY BE FORMED AS A SECONDARY OPERATION.
- 2.) INSPECT FOR FORMING CRACKS OR HOLES
 - 3. ANY DIE LUBRICANTS CAUSING CORROSION MUST BE REMOVED.
 - 4. MANUFACTURING PROCESS: SPINNING
- CHITICAL INSPECTION POINTS

	SYMBOL			MANSONED				
	A	8-19 97	CW	080	ADD	mm	EQUIVALENCE	



MATERIAL: COLD ROLLED STEEL

ASTM: A 620 PLATING: N/A

GAUGE: 16 (.060°) (1.5mm)



8800 East 63rd Street Kansas City, MO, USA. 64133 PHONE +816-356-8400 FAX +816-353-1873 SALES +800-821-2222

IS DRAVING AND THE INFORMATION NTAINED IN IT ARE CONFIDENTIAL, IT THE PROPERTY OF BHA GROUP, INC. D MAY NOT BE USED FOR ANY PURPOSE IATSDEVER EXCEPT UNDER EXPRESS ITTEN CONTRACT VITH BHA GROUP, INC.

EXTENDED VENTURI FOR TA600 TOP COMPONENT □AL: 4.000" (101.6mm)

BELL I.D.: 2.750" (69.9mm)

RLM	9-20 96
CHECKED BY	DATE
APPROVED BY	DATE
RLM	9-20 96
SCALE:	SIZE
N.T.S.	В
SHT 1	OF <u>1</u>

WEIGHT:

SHIPPING DIMENSIONS:

TOLERANCES (UNLESS OTHERWISE SPECIFIED).
GENERAL FABRICATION ±1/16" ANGULARITY ±1'-0'.
FORGINGS & CASTINGS: COMMERCIAL TOLERANCES.

MD NUMBER -92 400-1128

DRAWN BY CW

DATE 9-19

96

SF Air Filtration, Inc. TO: DKK FLOWERS

8800 East 63rd Street

FROM: JAC CLEMBUTS

Kansas City, MO 64133-4833

DESIGN SKETCH/CALCULATION SHEET

Fax: 816-353-7829 Sales: 800-291-2129

Subject R.L. FWERS WOURD Project_ By Title: PUR TOP W/ VENTURY & GROVED WIRE Date: 5/27/95

GROUND WIRE MSR VETTURE & GROUND w/ terminal WIRE 30455 VOTTORI PRICTION FIT INTO POLYVILLEMOND (PUR) TUBESHEET POLYURZTHANZ MOLDICO TOP BRAIDED SS around must MECHANICALLY ATTACHROO TO inner core 55 INNER COSS DICK, HERE'S HOW THE ARRANGEMENT, TRATT WE DISCUSSED TODAY WOULD LOOK LIKE. BEST PERAIUS

Customer:

Sheet of